

L Number	Hits	Search Text	DB	Time stamp
-	2	(hazardous with area with warning with system) and receiver and direction and (indicate or indication) and level	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 11:51
-	6	("4100529"   "5047752"   "5086290"   "5198800"   "5477210"   "5575242").PN.	USPAT	2003/02/28 12:11
-	24	hazardous with area with warning with system	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/28 12:44
-	6	(hazardous with area with warning with system) and receiver and direction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 16:52
-	1	((hazardous with area with warning with system) and receiver and direction ) and (attendant with hazard)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/27 13:59
-	1	(data with link with receiver) same encoded same signal same safety same decod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/28 12:07
-	1	(data with receiver) same encoded same signal same safety same decod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/28 12:07
-	1571	(data with receiver) same encoded same signal same decod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/28 12:08
-	2	((data with receiver) same encoded same signal same decod\$3) and (indicator with safety with condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 17:23
-	0	((("4100529"   "5047752"   "5086290"   "5198800"   "5477210"   "5575242").PN.) and ((data with receiver) same encoded same signal same decod\$3)	USPAT	2003/03/05 18:14
-	7	((data with receiver) same encoded same signal same decod\$3) and (safety with condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/28 12:12
-	0	(hazardous with area with warning with system) and (X with direction) and (y with direction) and (z with direcion)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/28 12:27
-	3	(receiver same antenna same direction) and adder and encoder and transmitter and hazard	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 17:31
-	44	((data with receiver) same encoded same signal same decod\$3) and (indicator with light)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 17:25
-	0	((("4100529"   "5047752"   "5086290"   "5198800"   "5477210"   "5575242").PN.) and (green with light)	USPAT	2003/03/03 17:27
-	0	((("4100529"   "5047752"   "5086290"   "5198800"   "5477210"   "5575242").PN.) and green	USPAT	2003/03/03 17:27
-	2	(receiver same antenna same direction) and adder and encoder and transmitter and hazard and comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 17:39

	490	((receiver same antenna) and (x with direction) and (y with direction) and (z with direction))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 17:56
	34	((receiver same antenna) and (x with direction) and (y with direction) and (z with direction)) and transmitter and encode\$2 and decode\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 17:41
	21	((((receiver same antenna) and (x with direction) and (y with direction) and (z with direction)) and transmitter and encode\$2 and decode\$2) and indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 17:43
	12	((((receiver same antenna) and (x with direction) and (y with direction) and (z with direction)) and transmitter and encode\$2 and decode\$2) and indicator) and hazard	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 17:38
	6	transmitter same antenna same (ferrite with loop with wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 18:04
	1	(transmitter same antenna same (ferrite with loop with wire)) and (warning with transmitter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 18:04
	1	(transmitter same antenna same (ferrite with loop with wire)) and oscillator and buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/03 18:05
	4	(hazardous with area with warning with system) and receiver and transmitter and (encode\$2 or decode\$2) and (indicator or light) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/04 17:38
	5	(hazardous with area with warning with system) and receiver and (direction\$3 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/04 18:09
	5	(702/.ccls. or 340/.ccls.) and (hazardous with area with warning with system) and receiver and transmitter and (encode\$2 or decode\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/04 18:11
	2	4849735.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 15:25
	0	4849735.pn. and indicator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 15:26
	1	4849735.pn. and indicat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 15:26
	1	(indicator with indicating with safety with condition) and (danger with zone with indicator) and (caution with indicator) and (normal with indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 16:38
	1	(danger with zone with indicator) and (caution with indicator) and (normal with indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 16:40

	1	(danger with zone with indicat\$3) and (caution with indicat\$3) and (normal with indicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 16:42
	55	(danger same indicat\$3) and (caution same indicat\$3) and (normal same indicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 16:42
	1	( (danger same indicat\$3) and (caution same indicat\$3) and (normal same indicat\$3)) and (hazardous with area with warning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 16:45
	1	(hazardous with area with warning) and (indicator same red same yellow same green same light)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 14:22
	2	(hazardous with area with warning with system) and (yellow with light)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 16:53
	5	(702/.ccls. or 340/.ccls.) and (receiv\$3 with direction with signal) and (adder with combin\$3 with signal) and (compar\$3 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 17:54
	0	(702/.ccls. or 340/.ccls.) and (receiv\$3 with dimension\$3 with signal) and (adder with combin\$3 with signal) and (compar\$3 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 17:55
	71	(receiver same antenna) and (x with direction with signal) and (y with direction with signal) and (z with direction with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 17:58
	0	((receiver same antenna) and (x with direction with signal) and (y with direction with signal) and (z with direction with signal)) and (adder with combin\$3 with signal) and (compar\$3 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 17:58
	4	((receiver same antenna) and (x with direction with signal) and (y with direction with signal) and (z with direction with signal)) and adder and (compar\$3 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 17:59
	0	(("4100529"   "5047752"   "5086290"   "5198800"   "5477210"   "5575242").PN.) and adder and (compar\$3 with signal)	USPAT	2003/03/05 18:14
	0	(("4100529"   "5047752"   "5086290"   "5198800"   "5477210"   "5575242").PN.) and adder and (compar\$6 with signal)	USPAT	2003/03/05 18:21
	0	(receiver same (three with directional) same (directional with antenna)) and (ferrite with rod)	USPAT	2003/03/05 18:25
	34	(receiver same (three with directional) same (directional with antenna)) and (combin\$6 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 18:27
	21	(receiver same (three with directional) same (directional with antenna)) and (combin\$6 with signal with receiv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/05 18:28
	4	((receiver same (three with directional) same (directional with antenna)) and (combin\$6 with signal with receiv\$3)) and amplifier and filter and detector	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 18:36

	1	(hazardous with area with warning) and (vibrat\$3 with tactile)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 14:24
	1	(hazardous with area with warning) and (vibrat\$3 with danger)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 15:14
	1	vibrat\$3 same tactile same indication same danger	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 15:15
	3	vibrat\$3 same tactile same indicat\$3 same danger	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 15:16
	1	danger same indicator same motor same vibration	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 17:33
	7	danger same indicat\$3 same motor same vibration	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 17:45
	1	danger same indicator same motor same vibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 17:40
	7	danger same indicat\$3 same motor same vibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 17:47
	11	(danger or hazard) same indicat\$3 same motor same vibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/06 17:51
	0	((hazardous with area) and receiver and (direction\$3 with signal) and directions and transmit\$3 ) and (person with wear\$3 with receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/01 20:37
	65	(hazardous with area) and receiver and (direction\$3 with signal) and directions and transmit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/01 20:37
	9	((hazardous with area) and receiver and (direction\$3 with signal) and directions and transmit\$3 ) and (person with receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 11:14
	2084	indicat\$3 with level with direction\$3 with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 11:17
	361	indicat\$3 with level with receiv\$3 with direction\$3 with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 11:18
	0	(indicat\$3 with level with receiv\$3 with direction\$3 with signal ) and (different with derections)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 11:18

	79	((indicat\$3 with level with receiv\$3 with direction\$3 with signal ) and (different with directions))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 11:18
	1	((indicat\$3 with level with receiv\$3 with direction\$3 with signal ) and (different with directions)) and (hazardous with area)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 11:19
	2	((indicat\$3 with level with receiv\$3 with direction\$3 with signal ) and (different with directions)) and (area with warning with system)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 10:24
	0	three with mutually with perpendicular with axes with receiver with antennas	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 17:23
	19	perpendicular with axes with receiver with antennas	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 17:24
	5	three with perpendicular with axes with receiver with antennas	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 17:25
	0	(three with perpendicular with axes with receiver with antennas) and hazardous	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 17:25
	2	4849735.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 18:36
	42	receiver same (detect\$3 with hazard) same (transmit\$5 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 10:27
	0	(receiver with detect\$3 with hazard) same (transmit\$5 with signal) same wear\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 10:29
	20	(receiver with detect\$3 with hazard) same (transmit\$5 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 10:41
	0	((receiver with detect\$3 with hazard) same (transmit\$5 with signal)) and (transmit\$6 same dtermin\$4 same receiv\$3 same indicat\$3 same hazard)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 10:42
	1	((receiver with detect\$3 with hazard) same (transmit\$5 with signal)) and (transmit\$6 same determin\$4 same receiv\$3 same indicat\$3 same hazard)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 10:43
	2	((5939986" "3708671" "5170172" "4849735" "4518009" "4906972").pn. or 10/045741) and (transmi\$4 same (respons\$3 with receiv\$3 with signal with hazard\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 12:03
	0	((person with wear\$3 with receiver) same (hazard\$3 with area)) and transmit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 13:38

	0	((person with wear\$3 with receiver) same (hazard\$3 with area)) and transmit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 13:38
	3	(( wear\$3 with receiver) same (hazard\$3 with area)) and transmit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 13:42
	1	(( wear\$3 with receiver) same (hazard\$3 with area)) and (transmit\$4 with respons\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 13:43
	0	( wear\$3 with receiver) and ((attendant or enter\$3) with hazard\$3 with area) and (transmit\$4 with respons\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 14:21
	8	( wear\$3 with receiver) and (hazard\$3 with area) and (transmit\$4 with respons\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 14:05
	4	( wear\$3 with receiver) and (hazard\$3 with area) and (transmit\$4 with respons\$3) and (transmit\$4 with respons\$3 with receiv\$3 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 14:06
	1	((attendant or enter\$3) with hazard\$3 with area) same encoder same (respons\$3 with receiv\$3 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 14:23
	0	((attendant or enter\$3) with hazard\$3 with area) same (transmit\$4 with respons\$3 with receiv\$3 with signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/18 14:24